

UNITED STATES DEPARTMENT OF COMMERCE **Patent and Trademark Office**

Address: COMMISSIONER OF PATENTS AND TRADEMARKS

Washington, D.C. 20231

APPLICATION NO. FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO. 08/883,636 06/26/97 GONG 3070-004 **EXAMINER** LM01/1210 LOWE PRICE LEBLANC & BECKER MEYER, J 99 CANAL CENTER PLAZA SUITE 300 **ART UNIT** PAPER NUMBER ALEXANDRIA VA 22314 2767

DATE MAILED:

10

12/10/98

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

Office Action Summary

Application No. 08/883,636

Applicant(s)

Examiner

Group Art Unit

Li Gong

51

John J. Meyer

2767



X Responsive to communication(s) filed on <u>Sep 25, 1997</u>	
This action is FINAL.	
☐ Since this application is in condition for allowance except for in accordance with the practice under Ex parte Quayle, 1935	
A shortened statutory period for response to this action is set to is longer, from the mailing date of this communication. Failure tapplication to become abandoned. (35 U.S.C. § 133). Extension 37 CFR 1.136(a).	to respond within the period for response will cause the
Disposition of Claims	
	is/are pending in the application.
Of the above, claim(s)	is/are withdrawn from consideration
☐ Claim(s)	is/are allowed.
	is/are rejected.
☐ Claim(s)	is/are objected to.
☐ Claims	are subject to restriction or election requirement.
Application Papers See the attached Notice of Draftsperson's Patent Drawing The drawing(s) filed on	ed to by the Examiner isapproveddisapproved.
 □ All □ Some* □ None of the CERTIFIED copies of □ received. □ received in Application No. (Series Code/Serial Num □ received in this national stage application from the *Certified copies not received: □ Acknowledgement is made of a claim for domestic priority 	nber) International Bureau (PCT Rule 17.2(a)).
Attachment(s) Notice of References Cited, PTO-892 Information Disclosure Statement(s), PTO-1449, Paper Notice Interview Summary, PTO-413 Notice of Draftsperson's Patent Drawing Review, PTO-94 Notice of Informal Patent Application, PTO-152	

--- SEE OFFICE ACTION ON THE FOLLOWING PAGES ---

DETAILED ACTION

1. Claims 1-19 have been examined.

Drawings

2. The drawings are objected to because the margins are not acceptable as detailed in the Notice of Draftspersons Patent Drawing Review, PTO Form 948. Correction is required.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1, 2, 5,6, 13, and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gillon et al. US Patent #5,838,927 in view of Elgamal et al. US Patent #5,657,390.

As per claims 1, 5, and 13, Gillon et al teaches a method for, computer-readable medium having stored thereon a plurality of sequences of instructions for, and a computer data signal embodied in a carrier wave representing sequences of instruction for, providing communication

Art Unit: 2767

Page 3

protocol-independent security for data transmitted between a first process, executing on a first network node, and a second process, executing on a second network node, wherein the first network node and the second network node each support at least one common communication protocol, the method comprising the steps of, the computer-readable medium having stored thereon a plurality of sequences of instructions causing a processor to perform the steps of, and the computer data signal embodied in a carrier wave representing sequences of instruction providing communication protocol independent security by performing the steps of:

establishing a first stream between the first process and the network connection (see figure 5, column 7 lines 11-15, Gillon et al.'s write stream);

establishing a second stream between the second process and the network connection (see figure 5, column 7 lines 11-15, the reception of the write stream by the client);

encrypting data to be transmitted between the first and second processes, the encrypting of the data being independent of the at least one communication protocol (see column 4, lines 11-14, the use of HyperText Transport Protocol) supported by the first node (see column 5, lines 60-67 and column 7 lines 4-15, Gillon et al.'s encryption of data with no header, and hence, no protocol specific information, at the stream level);

writing data to the first stream (see figure 6, element 610 and column 7 lines 9-13, Gillon et al.'s attachment of encryption and compression streams to the write stream);

Art Unit: 2767

causing the encrypted data to be transmitted from the first network node to the second network node (see figure 6, elements 610 and 614 and column 7 lines 13-15, Gillon et al.'s transmission of write stream to the client);

Page 4

reading the encrypted data from the second stream and decrypting the encrypted data to obtain decrypted data which is identical to the data on the first network node before it was encrypted (see figure 5 and column 6 lines 38-46, Gillon et al.'s reception and decryption of the encrypted data);

However, Gillon et al does not explicitly teach the establishment of a communications channel, secure or otherwise, prior to the transfer of stream data.

Elgamal et al teaches the establishment of a secure communications channel between a first and second network node (see column 7, lines 4-8, his establishment of a secure channel by checking connection integrity and authenticating the connected parties)

It would have been obvious to one of ordinary skill in the computer art at the time the invention was made to combine the protocol independent encrypted stream of Gillon et al with the secure communication channel of Elgamal et al in order to improve the reliability of the data transmitted by Gillon et al's invention and thus reduce data latency experienced by the receiving node because Gillon et al suggests that latency is undesirable (column 2, lines 12-18).

Application/Control Number: 08/883636 Page 5

Art Unit: 2767

As per claims 2,6, and 14, Gillon et al does not explicitly teach the additional steps of performing a communication protocol-specific encryption of the data on the first network node and performing a communication protocol-specific decryption of the data on the second network node.

Elgamal et al teaches the steps of performing a communication protocol-specific encryption of the data on the first network node and performing a communication protocol-specific decryption of the data on the second network node (see figure 12c, and column 6 lines 10-35, Elgamal et al.'s secure sockets layer encryption of data at the server and his secure sockets layer decryption of data at the client).

It would have been obvious to one of ordinary skill in the computer art at the time the invention was made to combine the protocol independent encryption of Gillon et al with the protocol dependent encryption of Elgamal et al in order to hide sensitive information about the source of the encrypted data and provide double encryption for the data itself because stronger encryption is universally recognized as desirable.

5. Claims 3, 4,7,8, 15 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gillon et al. US Patent #5,838,927 in view of Elgamal et al. US Patent #5,657,390 as applied to claims 1,5, and 13 above, and further in view of van Hoff et al US Patent #5,761,421.

As per claims 3,7, and 15, Gillon et al does not explicitly teach that the data streams are Java streams and Elgamal et al does not explicitly teach that the secure channel is a Java secure channel.

Art Unit: 2767

van Hoff et al teaches the secure transfer of Java data between two Java applets running on two clients in a network environment (see column 4 lines 26-54, van Hoff et al.'s establishment of a secure communications channel between two applets).

Page 6

It would have been obvious to one of ordinary skill in the computer art at the time the invention was made to combine the streaming protocol independent encryption of Gillon et al and the secure channel of Elgamal et al with the Java communications channel and Java transfer of van Hoff et al in order to allow for the encryption and secure stream transmission of Java data and objects because the maintenance of data integrity and reliability of all data types is universally recognized as desirable.

As per claims 4, 8, and 16, Gillon et al teaches the attachment of a third stream to the communication channel and the transmission of data according a specific protocol (see figure 6 element 608, column 4 lines 11-14, column 6 lines 18-23, Gillon et al.'s attachment of multiple function streams to the write stream and the use of HyperText Transfer Protocol) Official Notice is taken that multicasting and the branching of a single stream into multiple streams is old and well known in the computer art. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the function providing streams and specific communication protocol of Gillon et al with the old and well known practice of multicasting in order to allow the fast and efficient distribution of stream data according to a specific communication protocol because high transmission speed and reduced data latency are seen as

Art Unit: 2767

desirable in the computer art. (Gillon et al suggests that latency is undesirable (column 2, lines 12-18))

6. Claims 9 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Elgamal et al. US Patent #5,657,390 in view of Gillon et al. US Patent #5,838,927.

As per claim 9, Elgamal et al teaches a communication network providing secure communication between a first network node and a second network node, wherein the first network node and the second network node each support at least one common communication protocol, wherein the first network node is communicatively coupled to the second network node by a communication channel, the communication network comprising:

a first process executing on the first network node, wherein the first process provides for the encryption of data (see figure 12b, column 13 lines 16-57);

a secure communications channel for encrypted data transfer (column 7, lines 4-8, Elgamal et al.'s establishment of a secure channel by checking connection integrity and authenticating the connected parties);

a second process executing on the second network node, wherein the second process provides for the decryption of data which has been encrypted by the first process (see figure 12b, column 13 lines 16-57);

However, Elgamal et al does not explicitly teach the protocol independent encryption of data by the first process or the presence of a first and second stream that provides for the transfer of data between the communications channel and first and second processes.

Page 8

Art Unit: 2767

Gillon et al teaches the protocol independent encryption of data (see column 5, lines 60-67 and column 7 lines 4-15, Gillon et al.'s encryption of data with no header, and hence, no protocol specific information, at the stream level) and the use of first and second streams to transfer the encrypted data between two processes in a network environment (figure 5, column 7 lines 11-15, Gillon et al.'s write stream and reception of the write stream by the client).

It would have been obvious to one of ordinary skill in the computer art at the time the invention was made to combine the secure channel and protocol dependent encryption scheme of Elgamal et al with the protocol independent encryption and stream data transfer of Gillon et al in order to allow Elgamal et al's system to encrypt a data stream independent of a communications protocol because Elgamal et al suggests that is desirable for an encryption scheme to be able to be used by many different types of applications on a wide variety of network machines. (See Elgamal Column 1, lines 58-67)

As per claim 10, Elgamal et al does not explicitly teach that the encrypted data can be decrypted by the second process based on any communication protocol supported by the second network node.

Gillon et al teaches the protocol independent encryption of data (see column 5, lines 60-67 and column 7 lines 4-15, Gillon et al.'s encryption of data with no header, and hence, no protocol specific information, at the stream level). The capability of a process on the second node to decrypt the protocol independent encrypted data from the first node based upon any communication protocol supported by the second node is deemed to be an inherent feature of

Gillon et al's invention because the data was encrypted without any protocol specific information attached and thus would be available to any layer (protocol) that desired to decrypt it.

It would have been obvious to one of ordinary skill in the computer art at the time the invention was made to combine the secure channel and protocol dependent encryption scheme of Elgamal et al with the protocol independent encryption and stream data transfer of Gillon et al in order to allow Elgamal et al's system to encrypt a data stream independent of a communications protocol and decrypt the same data based upon any communication protocol supported by the second node because Elgamal et al suggests that is desirable for an encryption scheme to be able to be used by many different types of applications on a wide variety of network machines. (See Elgamal Column 1, lines 58-67)

7. Claims 11 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Elgamal et al. US Patent #5,657,390 in view of Gillon et al. US Patent #5,838,927 as applied to claim 9 above, and further in view of van Hoff et al US Patent #5,761,421.

As per claim 11, Elgamal et al does not explicitly teach that the secure channel is a Java secure channel and Gillon et al does not explicitly teach that the data streams are Java streams.

van Hoff et al teaches the secure transfer of Java data between two Java applets running on two clients in a network environment (see column 4 lines 26-54, van Hoff et al.'s establishment of a secure communications channel between two applets).

Art Unit: 2767

It would have been obvious to one of ordinary skill in the computer art at the time the invention was made to combine the secure channel of Elgamal et al and streaming protocol independent encryption of Gillon et al and the with the Java communications channel and Java transfer of van Hoff et al in order to allow for the encryption and secure stream transmission of Java data and objects because the maintenance of data integrity and reliability of all data types is universally recognized as desirable.

As per claim 12, Gillon et al teaches the attachment of a third stream to the communication channel and the transmission of data according a specific protocol (see figure 6 element 608, column 4 lines 11-14, column 6 lines 18-23, Gillon et al.'s attachment of multiple function streams to the write stream and the use of HyperText Transfer Protocol) Official Notice is taken that multicasting and the branching of a single stream into multiple streams is old and well known in the computer art. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the function providing streams and specific communication protocol of Gillon et al with the old and well known practice of multicasting in order to allow the fast and efficient distribution of stream data according to a specific communication protocol because high transmission speed and reduced data latency are seen as desirable in the computer art. (Gillon et al suggests that latency is undesirable (column 2, lines 12-18))

Page 10

8. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Gillon et al. US Patent #5,838,927 in view of Elgamal et al. US Patent #5,657,390.


Gillon et al teaches a method for providing communication protocol-independent security for data transmitted by a process executing on a network node, the method comprising the steps of:

establishing a stream between the first process and the network connection (see figure 5, column 7 lines 11-15, Gillon et al.'s write stream);

encrypting data to be transmitted by processes, the encrypting of the data being independent of a communication protocol (see column 4, lines 11-14, the use of HyperText Transport Protocol) supported by the network node (see column 5, lines 60-67 and column 7 lines 4-15, his encryption of data with no header, and hence, no protocol specific information, at the stream level);

writing the encrypted data to the stream (see figure 6, element 610 and column 7 lines 913, Gillon et al.'s attachment of encryption and compression streams to the write stream); and
causing the encrypted data to be transmitted from a network node to another network
node (see figure 6, elements 610 and 614 and column 7 lines 13- 15, Gillon et al.'s transmission
of write stream to the client);

However, Gillon et al does not explicitly teach the establishment of a communications channel, secure or otherwise, prior to the transfer of stream data.



Art Unit: 2767

Elgamal teaches the establishment of a secure communications channel between a first and second network node (see column 7, lines 4-8, Elgamal et al.'s establishment of a secure channel by checking connection integrity and authenticating the connected parties)

It would have been obvious to one of ordinary skill in the computer art at the time the invention was made to combine the protocol independent encrypted stream of Gillon et al with the secure communication channel of Elgamal et al in order to improve the reliability of the data transmitted by Gillon et al's invention and thus reduce data latency experienced by the receiving node because Gillon et al suggests that latency is undesirable (column 2, lines 12-18).

9. Claims 18 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gillon et al. US Patent #5,838,927 in view of Elgamal et al. US Patent #5,657,390 as applied to claim 17 above, and further in view of van Hoff et al US Patent #5,761,421.

As per claim 18, Gillon et al does not explicitly teach that the data streams are Java streams and Elgamal et al does not explicitly teach that the secure channel is a Java secure channel.

van Hoff et al teaches the secure transfer of Java data between two Java applets running on two clients in a network environment (see column 4 lines 26-54, van Hoff et al.'s establishment of a secure communications channel between two applets).

It would have been obvious to one of ordinary skill in the computer art at the time the invention was made to combine the streaming protocol independent encryption of Gillon et al

Art Unit: 2767

Page 13

and the secure channel of Elgamal et al with the Java communications channel and Java transfer of van Hoff et al in order to allow for the encryption and secure stream transmission of Java data and objects because the maintenance of data integrity and reliability of all data types is universally recognized as desirable.

As per claim 19, Gillon et al teaches the attachment of a second stream to the communication channel and the transmission of data according a specific protocol (see figure 6 element 608, column 4 lines 11-14, column 6 lines 18-23, Gillon et al.'s attachment of multiple function streams to the write stream and the use of HyperText Transfer Protocol) Official Notice is taken that multicasting and the branching of a single stream into multiple streams is old and well known in the computer art.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the function providing streams and specific communication protocol of Gillon et al with the old and well known practice of multicasting in order to allow the fast and efficient distribution of stream data according to a specific communication protocol because high transmission speed and reduced data latency are seen as desirable in the computer art. (Gillon et al suggests that latency is undesirable (column 2, lines 12-18))

Conclusion

- 10. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- --- Adams, Jr et al teaches encrypting data portion only of packet by device spliced into communications line.
- --- Vidrascu et al teaches enciphering without concern for a protocol in low bandwidth networks
- 11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to John J. Meyer whose telephone number is (703) 308-9046. The examiner can normally be reached Monday-Thursday from 8:15 AM to 4:45 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tod Swann, can be reached at (703) 308-7791.

The fax number for Formal or Official faxes to Technology Center 2700 is (703) 308-9051 or 9052. Draft or Informal faxes for this Art Unit can be submitted to (703) 308-5357.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 305-3900.

JJM December 3, 1998 WIND R. SWAMP ZOO MILER